chronic release were to impact the water table, this additional biodegradation within the saturated
 zone would also serve to prevent impacts to Red Hill Shaft and other groundwater receptors.

3 9.3 CONCLUSIONS

- 4 Two separate holding capacity calculations were performed:
- The LNAPL holding capacity for a hypothetical large, sudden release that would not result
 in unacceptable risks to users of groundwater in the vicinity of the Facility. The calculations
 and results of this analysis are described in Appendix B.

The LNAPL holding capacity for a hypothetical small chronic release that would not result in unacceptable risks to users of groundwater in the vicinity of the Facility. This calculation is dependent on the NSZD rate at the Facility and is described in Appendix C.

- 11 The resulting reasonable conservative volume estimates that would be protective with a high 12 confidence are:
- A hypothetical sudden future release of approximately 120,000 gallons of LNAPL would have, at most, a minimal impact to groundwater and would not cause an RBDC exceedance in Red Hill Shaft.
- An indefinite hypothetical chronic release of 2,300 gallons per tank per year (6.3 gallons per tank per day) would be degraded within the vadose zone, resulting in, at most, a minimal impact to groundwater and would not cause an RBDC exceedance in Red Hill Shaft.

19 **10.** Summary and Conclusions

All available data to date have been integrated into the current CSM, and the evaluation of data and determination of conclusions are reasonably conservative. The conservatism is based on highly probable outcomes and/or conclusions as identified by current data. The following subsections describe the key points from various sections of this document.

- 24 **10.1 LNAPL DISTRIBUTION AND PROPERTIES**
- LNAPL has been observed in the vadose zone below some of the fuel tanks (i.e., in angle borings completed in 1998–2002). Thermal monitoring data show that when LNAPL is indicated in the vadose zone, it is located primarily within the upper one-third of the vadose zone between the lower tunnel and the water table (i.e., within the depth interval of 70–110 ft msl).
- No LNAPL has been measured on any of the Red Hill monitoring wells. Weathered LNAPL
 from a release prior to 2005 may be present in the immediate vicinity of RHMW02 or within
 the saturated zone upgradient from this well.
- The mixture of dissolved constituents in groundwater and the mixture of constituents in soil vapor samples are consistent with weathered/biodegraded fuel.
- A 27,000-gallon release of jet fuel from Tank 5 in January 2014 did not appear to impact any of the Facility's monitoring wells or Red Hill Shaft located approximately 1,500 ft downgradient.

110.2DISSOLVED FUEL CONSTITUENTS IN GROUNDWATER AND ANALYTICAL2CONSIDERATIONS

- Dissolved components in groundwater are consistent with soluble (aromatic hydrocarbons) components and polar material (likely metabolites) from fuels consistent with biodegraded jet fuel.
- Available data suggest the presence of weathered LNAPL (i.e., pre-2005) in the immediate vicinity of RHMW02 or within the saturated zone upgradient from this well. Multiple lines of evidence indicate that strictly biodegraded/weathered material (likely not associated with the 2014 release) is present in groundwater and COPC concentrations have generally remained within recent historical ranges.
- 11 Analytical results of dissolved TPH-d alone are not suitable as a diagnostic tool to assess 12 presence of LNAPL in groundwater. Biodegradation products of soluble fuel components 13 are polar and are generally more water soluble than the aliphatic parent compounds. 14 Furthermore, changes in TPH-d concentrations should be carefully evaluated as they can be 15 due to changes in laboratory (methods and laboratory to laboratory) and to inherent 16 limitations of TPH measurement. When TPH-d concentrations change from one monitoring 17 event to the next, the significance of the change should be evaluated in the context of 18 changes in the characteristics of the chromatography and changes in the mixture of 19 individual dissolved constituents.

20 **10.3** INTERIM GROUNDWATER FLOW MODEL

3

4

5

- 21 As described in Section 5.3, dozens of groundwater models, utilizing various • 22 conceptualizations and stresses (e.g., boundary fluxes, material properties, heterogeneity 23 considerations, geometries) have been developed and none of these models (with one) 24 exception) show groundwater flow from Red Hill to any of the BWS wells, even with 25 extreme pumping conditions. The exception represents a drought condition under which Red 26 Hill Shaft is not pumping and Hālawa Shaft pumps continuously at 16 mgd for several years 27 (steady state conditions). For this case, it took a minimum of 3 years of continuous drought 28 and extreme pumping conditions for groundwater to migrate to Halawa Shaft from beneath 29 the Facility. While this scenario has been evaluated in an effort to be very conservative, the 30 likelihood of this scenario occurring is negligible.
- When operating under normal pumping conditions (mgd), Red Hill Shaft captures all groundwater flow from beneath the tanks underlying Red Hill even when Hālawa Shaft is pumping at 16 mgd and Moanalua Valley wells are pumping at 3.7 mgd.
- All models indicate that groundwater flow from beneath the Facility is toward Red Hill Shaft
 even when Red Hill Shaft is not pumping.
- A conservative model (shortest travel time) with clinker indicates that flow from RHMW02
 to Red Hill Shaft is on the order of 45 days. Slower travel times are over 90 days. The more
 conservative of these values were implemented into evaluations of mass flux and natural
 attenuation.

40 **10.4 NATURAL ATTENUATION**

Excess carbon dioxide (measured by carbon traps) and heat are being generated at the
 Facility, confirming that NSZD of LNAPL is active in the vadose zone. For the entire tank
 farm, the NSZD rate is likely between 2,600 and 17,300 gallons per year.

- Soil vapor monitoring and fingerprinting analysis show that rapid weathering of petroleum is occurring in the vadose zone.
- Both the MNA Primary Lines of Evidence (concentration reduction in the plume) and
 Secondary Lines of Evidence (geochemical analyses and microcosm studies) confirm that
 aerobic and anaerobic biodegradation of dissolved petroleum hydrocarbons is occurring in
 groundwater. Based on available data, the plume attenuation half-lives for dissolved
 constituents are likely on the order of 10–100 days.

8 10.5 RISK-BASED DECISION CRITERIA

- Contaminants of potential concern were previously agreed upon by the AOC Parties and include benzene, ethylbenzene, toluene, total xylenes, naphthalene, 1-methylnaphthalene, 2-methylnaphthalene, TPH-g, TPH-d, TPH-o, 2-(2-methoxyethoxy)-ethanol, and phenol.
- RBDC have been developed for these COPCs as conservative, initial screening criteria that
 are protective of drinking and domestic water use.

14 **10.6 MASS FLUX AND SENTRY WELL CONSIDERATIONS**

- Mass flux considerations are widely used in evaluating potential impacts to pumping wells
 from chemical concentrations in aquifers (monitoring wells).
- A mass flux approach is being utilized to evaluate potential impacts from COPCs in groundwater to Red Hill Shaft. This approach will also be utilized in establishing sentry well trigger levels as part of the release response plan. Utilization of mass flux of COPCs from upgradient sources, Red Hill Shaft pumping rates, and RBDC help to ensure that drinking water at Red Hill Shaft (and other wells) is adequately protected.
- Sentry well locations will be further evaluated after the current synoptic water level information is evaluated along with the final contaminant fate and transport model.
 Consideration will be given to transient fluctuations related to potential gradient changes due to changes such as pumping or recharge.

26 10.7 RELEASE SCENARIOS

- The current understanding of LNAPL distribution and attenuation rates at the Facility have
 been used to evaluate the possible environmental impacts of a hypothetical future chronic or
 sudden release of jet fuel from the Facility.
- Based on the observed attenuation of LNAPL in the vadose zone and at the water table, an
 undetected chronic release of 2,300 gallons per year per tank would be biodegraded in the
 vadose zone, prior to reaching groundwater.
- 33 Based on the LNAPL retention capacity in the subsurface (estimated based on data from 34 prior releases), a sudden release of approximately 120,000 gallons of LNAPL would likely 35 be retained in the vadose zone and/or at the water table without causing an exceedance of **RBDC** at Red Hill Shaft. Within the range of uncertainty, a sudden release of less than 36 37 38,000 gallons would be very unlikely to cause an impact. Depending on the release location 38 (e.g., a higher elevation within a tank and/or a higher numbered tank further away from Red 39 Hill Shaft) and accounting for uncertainty regarding LNAPL retention capacity, it is possible 40 that a release as large as 700,000 gallons would not cause an exceedance of RBDC at Red Hill Shaft. However, there is less confidence that the higher-end release volume would be 41 42 protective.

• To reduce monitoring variability, unnecessary changes to sampling methods and laboratory analysis procedures should be avoided. Due to inherent limitations of TPH measurement, indicators of new releases should be based on multiple lines of evidence. Changes in TPH-d concentrations between monitoring events should be evaluated in the context of changes in the characteristics of the chromatogram and changes in the mixture of individual dissolved constituents.

7 **10.8 PATH FORWARD**

8 The information provided in the CSM and this technical memorandum will help with a better current 9 understanding of potential environmental issues given that additional data has been collected since 10 the signing of the AOC. Given the results of the interim environmental analysis of current data. conditions are reasonably bounded by the current monitoring well network. Additional monitoring 11 12 wells are planned to be installed to further improve resolution of site conditions. As new data 13 become available (e.g., synoptic water level study data), those data will be integrated into an updated 14 CSM for use in developing the Investigation and Remediation of Releases Report (IRR), 15 Groundwater Flow Model Report, and the Contaminant Fate and Transport Model Report. These 16 reports can be used to further inform stakeholders on potential risks and to identify options for 17 managing those potential risks. Specifically, the information presented in the CSM and this technical 18 memorandum will be used to assist with the IRR and subsequent decision-making pursuant to the 19 AOC. The IRR will include an evaluation and determination of the feasibility of alternatives (e.g., 20 enhanced monitored natural attenuation, capture zone analysis) for investigating and remediating 21 potential releases from the Facility to the maximum extent practicable. If another leak occurs prior to 22 the completion of the environmental investigation and decisions regarding remedial alternatives for 23 potential releases from the Facility, the current GWPP (DON 2014) will be followed accordingly.

24 **11. References**

- Anderson, M. P., W. W. Woessner, and R. J. Hunt. 2015. *Applied Groundwater Modeling*. 2nd Ed.
 London, UK: Elsevier.
- ASTM International (ASTM). 2015. Standard Guide for Risk-Based Corrective Action Applied at
 Petroleum Release Sites. E1739-95(2015). West Conshohocken, PA.
- Baedecker, M. J., R. P. Eganhouse, B. A. Bekins, and G. N. Delin. 2011. "Loss of Volatile
 Hydrocarbons from an LNAPL Oil Source." *Journal of Contaminant Hydrology* 126: 140–152.
- Department of Defense and Department of Energy, United States (DoD and DOE). 2018.
 Department of Defense (DoD) and Department of Energy (DOE) Consolidated Quality Systems
 Manual (QSM) for Environmental Laboratories. DoD QSM Ver. 5.1.1. Prepared by DoD
 Environmental Data Quality Workgroup and DOE Consolidated Audit Program Operations
 Team.
- Department of Health, State of Hawaii (DOH). 2017. "Environmental Hazard Evaluation and
 Environmental Action Levels." Summer 2016, revised January 2017. January 2017. http://eha web.doh.hawaii.gov/eha-cma/Leaders/HEER/environmental-hazard-evaluation-and-
- 39 environmental-action-levels.
- 40 Department of the Navy (DON). 1943. Log of Formations in Tank Excavation, Tank Barrels 1–20
 41 [1941–1943]. Pacific Naval Air Bases.

- 2002. Red Hill Bulk Fuel Storage Facility Investigation Report (Final) for Fleet Industrial
 Supply Center (FISC), Oahu, Hawaii. Prepared by AMEC Earth & Environmental, Inc.,
 Huntsville, AL. Pearl Harbor, HI: Pacific Division, Naval Facilities Engineering Command.
 August.
- 2014. Interim Update, Red Hill Bulk Fuel Storage Facility Final Groundwater Protection
 Plan, Pearl Harbor, Hawaii. (January 2008). Pearl Harbor, HI: Naval Facilities Engineering
 Command, Pacific. August.
- 2017a. Risk-Based Decision Criteria Development Plan, Investigation and Remediation of
 Releases and Groundwater Protection and Evaluation, Red Hill Bulk Fuel Storage Facility,
 Joint Base Pearl Harbor-Hickam, O'ahu, Hawai'i; December 11, 2017, Revision 00. Prepared
 by AECOM Technical Services, Inc., Honolulu, HI. Prepared for Defense Logistics Agency
 Energy, Fort Belvoir, VA, under Naval Facilities Engineering Command, Hawaii, JBPHH HI.
- 2017b. Sentinel Well Network Development Plan, Investigation and Remediation of Releases and Groundwater Protection and Evaluation, Red Hill Bulk Fuel Storage Facility, Joint Base Pearl Harbor-Hickam, O'ahu, Hawai'i; December 11, 2017, Revision 00. Prepared by AECOM Technical Services, Inc., Honolulu, HI. Prepared for Defense Logistics Agency Energy, Fort Belvoir, VA, under Naval Facilities Engineering Command, Hawaii, JBPHH HI.
- 2018. Conceptual Site Model, Red Hill Bulk Fuel Storage Facility, Joint Base Pearl Harbor-Hickam, O'ahu, Hawai'i; July 27, 2018, Revision 00. AECOM Technical Services, Inc., Honolulu, HI. Prepared for Defense Logistics Agency Energy, Fort Belvoir, VA, under Naval Facilities Engineering Command, Hawaii, JBPHH HI.
- Environmental Protection Agency, United States (EPA). 2018. Regional Screening Levels for
 Chemical Contaminants at Superfund Sites. EPA Office of Superfund. May.
- Environmental Protection Agency, United States, Region 9; and Department of Health, State of
 Hawaii (EPA Region 9 and DOH). 2016. "Final Scoping for AOC SOW Sections 6 and 7, and
 Navy's Proposed Chemical of Potential Concern (COPC) Recommendations," February 4, 2016.
 Letter from Bob Pallarino, EPA Red Hill Project Coordinator, and Steven Chang, DOH Red Hill
 Project Coordinator, to: James A. K. Miyamoto, Naval Facilities Engineering Command,
 Hawaii, Joint Base Pearl Harbor-Hickam.
- 30 Letter from Bob Pallarino (EPA Region 9 Project Coordinator) and Steven Chang (DOH
 31 Project Coordinator) to: Mark Manfredi, Red Hill Project Coordinator, Naval Facilities Hawaii.
 32 2017. "Split Sampling Results from First Quarter 2017," September 12, 2017.
- Frind, E. O., and J. W. Molson. 2018. "Issues and Options in the Delineation of Well Capture Zones
 under Uncertainty." *Groundwater* 56 (3): 366–376.
- Izuka, S. K., J. A. Engott, K. Rotzoll, M. Bassiouni, A. G. Johnson, L. D. Miller, and A. Mair. 2018.
 Volcanic Aquifers of Hawai'i—Hydrogeology, Water Budgets, and Conceptual Models. Ver. 2.0,
 March 2018. Scientific Investigations Report 2015–5164. Water Availability and Use Science
 Program. U.S. Geological Survey.
- Macdonald, G. A. 1941. Geology of the Red Hill and Waimalu Areas, Oahu, in Relation to the
 Underground Fuel Storage Project of the U.S. Navy. February 21, 1941 Report Attachment to

- Letter from H. T. Stearns, U.S. Geological Survey Geologist in Charge, Hawaiian Ground-Water
 Investigations, to: Capt. H. F. Bruns, Public Works Office, Pearl Harbor, February 26, 1941.
 Honolulu, HI: U.S. Geological Survey.
- McCoy, K., J. Zimbron, T. Sale, and M. Lyverse. 2014. "Measurement of Natural Losses of LNAPL
 Using CO₂ Traps." *Groundwater* 53: 658–667.
- 6 Panday, S., C. D. Langevin, R. G. Niswonger, M. Ibaraki, and J. D. Hughes. 2013. MODFLOW-
- 7 USG Version 1: An Unstructured Grid Version of MODFLOW for Simulating Groundwater
- 8 Flow and Tightly Coupled Processes Using a Control Volume Finite-Difference Formulation.
- 9 U.S. Geological Survey Techniques and Methods, Book 6, Chap. A45.
- S.S. Papadopulos & Associates, Inc. (SSPA). 2014. Mod-PATH3DU Version 1: A Groundwater Path
 and Travel-Time Simulator for Structured and Unstructured Grids. Bethesda, MD.